

**Hillerød Hospital**

**Anæstesiologisk afdeling.**

Berlac PA, Torp-Pedersen CT, Lippert FK. Basal genoplivning af voksne og automatisk ekstern defibrillering. Ugeskr Laeger 2008 Nov 17;170(47):3855-7.

Jensen JU, Lundgren B, Hein L, Mohr T, Petersen PL, Andersen LH, Lauritsen AO, Hougaard S, Mannoni T, Bomler B, Thornberg KJ, Thormar K, Loken J, Steensen M, Carl P, Petersen JA, Tousi H, Soe-Jensen P, Bestle M, Hestad S, Andersen MH, Fjeldborg P, Larsen KM, Rossau C, Thomsen CB, Ostergaard C, Kjaer J, Grarup J, Lundgren JD. The Procalcitonin And Survival Study (PASS) - A Randomised multi-center investigator-initiated trial to investigate whether daily measurements biomarker Procalcitonin and pro-active diagnostic and therapeutic responses to abnormal Procalcitonin levels, can improve survival in intensive care unit patients. Calculated sample size (target population): 1000 patients. BMC Infectious Diseases 2008 Jul 13;8:91.

Mathiesen O, Jacobsen LS, Holm HE, Randall S, Adamiec-Malmstroem L, Graungaard BK, Holst PE, Hilsted KL, Dahl JB. Pregabalin and dexamethasone for postoperative pain control: a randomized controlled study in hip arthroplasty. Br J Anaesth 2008 Oct;101(4):535-41.

**Arbejdsmedicinsk Klinik**

**Tidsskriftsartikler**

Netterstrom B, Conrad N, Bech P, Fink P, Olsen O, Rugulies R, et al. The relation between work-related psychosocial factors and the development of depression. Epidemiol Rev 2008;30:118-32.

Olsen O, Albertsen K, Nielsen ML, Poulsen KB, Gron SMF, Brunnberg HL. Workplace restructurings in intervention studies - a challenge for design, analysis and interpretation. BMC Medical Research Methodology 2008;8:39.

Rosenthal AP, Blond MB. Enzymet papain anvendt i industri og fodevarer giver allergi. Ugeskr Laeger 2008;170(40):3127-9.

**Billediagnostisk afdeling**

**Tidsskriftsartikler**

Kristensen B, Ejlertsen B, Mouridsen HT, Jensen MB, Andersen J, Bjerregaard B, et al. Bisphosphonate treatment in primary breast cancer: Results from a randomised comparison of oral pamidronate versus no pamidronate in patients with primary breast cancer. Acta Oncol 2008;47(4):740-6.

**Børneafdelingen**

**Tidsskriftsartikler**

Jakobsen C, Wever V, Faerk J, Kramer I, Pilgaard BS, Weile B, et al. Incidence of Ulcerative colitis and Crohn's disease in Danish children, rising or levelling out?. Journal of Crohn's and Colitis. Journal of Crohn's and Colitis 2008;22(2):152-7.

Jorgensen IM. Behandling af astma hos børn. Respiratory review 2007 2008;30-5.

**Gynækologisk-Obstetrisk Afdeling**

## **Tidsskriftsartikler**

Gjerris AC, Staer-Jensen J, Jorgensen JS, Bergholt T, Nickelsen C. Umbilical cord blood lactate: a valuable tool in the assessment of fetal metabolic acidosis. *Eur J Obstet Gynecol Reprod Biol* 2008;139(1):16-20.

Hansen CT, Moller C, Daugbjerg S, Utzon J, Kehlet H, Ottesen B. Establishment of a national Danish hysterectomy database: preliminary report on the first 13,425 hysterectomies. *Acta Obstet Gynecol Scand* 2008;87(5):546-57.

Kirschner B, Springborg HH. Genital tuberculosis in a Danish-born woman. *European Journal of Obstetrics Gynecology and Reproductive Biology* 2008;137(2):255-6.

Lokkegaard E, Andreasen AH, Jacobsen RK, Nielsen LH, Agger C, Lidegaard O. Hormone therapy and risk of myocardial infarction: a national register study. *Eur Heart J* 2008;29(21):2660-8.

Moller NK, Weber T. Tidlig eller sen afnavling af det mature, det praemature og det meget praemature barn. *Ugeskr Laeger* 2008;170(22):1919-21.

Morch LS, Johansen D, Lokkegaard E, Hundrup YA, Gronbaek M. Drinking pattern and mortality in Danish nurses. *Eur J Clin Nutr* 2008;62(6):817-22.

Nielsen LH, Lokkegaard E, Andreasen AH, Keiding N. Using prescription registries to define continuous drug use: how to fill gaps between prescriptions. *Pharmacoepidemiology and drug safety* 2008;17(4):384-8.

## **Kardiologisk Endokrinologisk Afdeling**

### **Disputatser og Ph.d.-afhandlinger**

Due-Andersen R. Influence of the renin angiotensin system on cardiac repolarisation and NT-proBNP release during hypoglycaemia and hypoxaemia (Ph.d.-afhandling). 5/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

### **Tidsskriftsartikler**

Benn M, Stene MCA, Nordestgaard BG, Jensen GB, Steffensen R, Tybjaerg-Hansen A. Common and rare alleles in apolipoprotein B contribute to plasma levels of low-density lipoprotein cholesterol in the general population. *Journal of Clinical Endocrinology & Metabolism* 2008;93(3):1038-45.

Bousser MG, Bouthier J, Buller HR, Cohen AT, Crijns H, Davidson BL, et al. Comparison of idraparinix with vitamin K antagonists for prevention of thromboembolism in patients with atrial fibrillation: a randomised, open-label, non-inferiority trial. *Lancet* 2008;371(9609):315-21.

Bretzel RG, Nuber U, Landgraf W, Owens DR, Bradley C, Linn T. Once-daily basal insulin glargine versus thrice-daily prandial insulin lispro in people with type 2 diabetes on oral hypoglycaemic agents (APOLLO): an open randomised controlled trial. *Lancet* 2008;371(9618):1073-84.

Breum L, Almdal T, Eiken P, Lund P, Christiansen E. Initiating or Switching to Biphasic Insulin Aspart 30/70 Therapy in Subjects with Type 2 Diabetes Mellitus. An Observational Study. *The review of diabetic studies : RDS* 2008;5(3):154-62.

Due-Andersen R, Hoi-Hansen T, Olsen NV, Larroude CE, Kanters JK, Boomsma F, et al. Cardiac repolarization during hypoglycaemia and hypoxaemia in healthy males: impact of renin-angiotensin system activity. *Europace* 2008;10(2):219-26.

Due-Andersen R, Hoi-Hansen T, Larroude CE, Olsen NV, Kanters JK, Boomsma F, et al. Cardiac repolarization during hypoglycaemia in type 1 diabetes: impact of basal renin-angiotensin system activity. *Europace* 2008;10(7):860-7.

Due-Andersen R, Pedersen-Bjergaard U, Hoi-Hansen T, Olsen NV, Kistorp C, Faber J, et al. NT-pro-BNP during hypoglycemia and hypoxemia in normal subjects: impact of renin-angiotensin system activity. *J Appl Physiol* 2008;104(4):1080-5.

Eiken PA. Raloxifens langtidseffekter pa knoglerne. *Ugeskr Laeger* 2008;170(4):224-6.

Frikke-Schmidt R, Nordestgaard BG, Jensen GB, Steffensen R, Tybjaerg-Hansen A. Genetic variation in ABCA1 predicts ischemic heart disease in the general population. *Arteriosclerosis Thrombosis and Vascular Biology* 2008;28(1):180-6.

Gluud C, Als-Nielsen B, Damgaard M, Fischer HJ, Hansen S, Helo OH, et al. Clarithromycin for 2 weeks for stable coronary heart disease: 6-year follow-up of the CLARICOR randomized trial and updated meta-analysis of antibiotics for coronary heart disease. *Cardiology* 2008;111(4):280-7.

Hesse B, Lindhardt TB, Acampa W, Anagnostopoulos C, Ballinger J, Bax JJ, et al. EANM/ESC guidelines for radionuclide imaging of cardiac function. *European Journal of Nuclear Medicine and Molecular Imaging* 2008;35(4):851-85.

Kamstrup PR, Tybaerg-Hansen A, Steffensen R, Nordestgaard BG. Pentanucleotide repeat polymorphism, lipoprotein( a) levels, and risk of ischemic heart disease. *Journal of Clinical Endocrinology & Metabolism* 2008;93(10):3769-76.

Kober L, Torp-Pedersen C, McMurray JJ, Gotzsche O, Levy S, Crijns H, et al. Increased mortality after dronedarone therapy for severe heart failure. *The New England journal of medicine* 2008;358(25):2678-87.

Kristensen PL, Pedersen-Bjergaard U, Thorsteinsson B. Varenicline may trigger severe hypoglycaemia in Type 1 diabetes. *Diabet Med* 2008;25(5):625-6.

Langdahl BL, Uitterlinden AG, Ralston SH, Trikalinos TA, Balcells S, Brandi ML, et al. Large-scale analysis of association between polymorphisms in the transforming growth factor beta 1 gene (TGFB1) and osteoporosis: the GENOMOS study. *Bone* 2008;42(5):969-81.

Nielsen LR, Johansen M, Pedersen-Bjergaard U, Damm P, Thorsteinsson B, Mathiesen ER. Hypoglycemia in pregnant women with type 1 diabetes - Predictors and role of metabolic control. *Diabetes Care* 2008;31(1):9-14.

Nielsen LR, Juul A, Pedersen-Bjergaard U, Thorsteinsson B, Damm P, Mathiesen ER. Lower levels of circulating IGF-I in Type 1 diabetic women with frequent severe hypoglycaemia during pregnancy. *Diabet Med* 2008;25(7):826-33.

Parving HH, Persson F, Lewis JB, Lewis EJ, Hollenberg NK. Aliskiren combined with losartan in type 2 diabetes and nephropathy. *The New England journal of medicine* 2008;358(23):2433-46.

Pedersen-Bjergaard U, Tbomsen CE, Hogenhaven H, Smed A, Kjaer TW, Holst JJ, et al. Angiotensin-converting enzyme activity and cognitive impairment during hypoglycaemia in healthy humans. *Journal of the Renin-Angiotensin-Aldosterone System* 2008;9(1):37-48.

Pedersen-Bjergaard U, Dhamrait SS, Sethi AA, Frandsen E, Nordestgaard BG, Montgomery HE, et al. Genetic variation and activity of the renin-angiotensin system and severe hypoglycemia in type 1 diabetes. *The American journal of medicine* 2008;121(3):246-8.

Pedersen-Bjergaard U, Thorsteinsson B. RAS and severe hypoglycemia in type 1 diabetes. *Review of Endocrinology* 2008;32-7.

Ravkilde J, Jurlander B, Andersen LK, Steffensen R, Jorgensen B, Jorgensen J, et al. Pensionering af kreatininkinase myocardial band anbefales ikke. *Ugeskr Laeger* 2008;170(48):3971.

Rejnmark L, Vestergaard P, Hermann AP, Brot C, Eiken P, Mosekilde L. Dietary intake of folate, but not vitamin B-2 or B-12, is associated with increased bone mineral density 5 years after the menopause: Results from a 10-year follow-up study in early postmenopausal women. *Calcif Tissue Int* 2008;82(1):1-11.

Ridker PM, Danielson E, Fonseca FA, Genest J, Gotto AM, Jr., Kastelein JJ, et al. Rosuvastatin to prevent vascular events in men and women with elevated C-reactive protein. *The New England journal of medicine* 2008;359(21):2195-207.

Schou M, Gustafsson F, Videbaek L, Markenvard J, Ulriksen H, Ryde H, et al. Design and methodology of the NorthStar Study: NT-proBNP stratified follow-up in outpatient heart failure clinics -- a randomized Danish multicenter study. *Am Heart J* 2008;156(4):649-55.

van Meurs JB, Trikalinos TA, Ralston SH, Balcells S, Brandi ML, Brixen K, et al. Large-scale analysis of association between LRP5 and LRP6 variants and osteoporosis. *JAMA : the journal of the American Medical Association* 2008;299(11):1277-90.

Vestergaard P, Eiken PA. Behandling og forebyggelse af osteoporose hos patienter med nedsat nyrefunktion. *Ugeskr Laeger* 2008;170(4):227-30.

## **Kirurgisk Afdeling**

### **Tidsskriftsartikler**

Aldulaymi BH, Mohammad WA, Jess P. Perinealsarskomplikationer efter praeoperativ stralebehandling for rectumcancer. *Ugeskr Laeger* 2008;170(15):1225-7.

Bertelsen CA. Behandling af pilonidalcyster. Gennemgang af et Cochrane-review. *Ugeskr Laeger* 2008;170(26-32):2317-21.

Jess P. Livskvalitetsmalinger i kolorektalcancerkirurgien. *Ugeskr Laeger* 2008;170(10):853-5.

Jess P, Iversen LH, Nielsen MB, Hansen F, Laurberg S, Rasmussen PC. Quality of life after cytoreductive surgery plus early intraperitoneal postoperative chemotherapy for pseudomyxoma peritonei: A prospective study. *Diseases of the Colon & Rectum* 2008;51(6):868-74.

Jess P. Quality of Life Assessments in Colorectal Cancer Surgery. A Review. *Current Cancer Therapy Reviews* 2008;4(4):267-70.

Petersen CN, Raahave D. Adenokarcinom i rectumstump ved inflammatoriske tarmsygdomme. *Ugeskr Laeger* 2008;170(41):3251.

Petersen CR, Bulut O, Jess P. Laparoskopisk splenektomi for hereditaer sfaerocytose hos born. *Ugeskr Laeger* 2008;170(11):925-6.

Raahave D, Jepsen LV, Pedersen IK. Primary and repeated stapled hemorrhoidopexy for prolapsing hemorrhoids: Follow-up to five years. *Diseases of the Colon & Rectum* 2008;51(3):334-41.

## **Klinisk Biokemisk Afdeling**

### **Tidsskriftsartikler**

Hoier-Madsen M, Holm J, Hansen SI. alpha isoforms of soluble and membrane-linked folate-binding protein in human blood. *Biosci Rep* 2008;28(3):153-60.

Petersen PH, Sandberg S, Iglesias N, Soletormos G, Aarsand AK, Brandslund I, et al. 'Likelihood-ratio' and 'odds' applied to monitoring of patients as a supplement to 'reference change value' (RCV). *Clin Chem Lab Med* 2008;46(2):157-64.

Rizzo R, Hviid TVF, Govoni M, Padovan M, Rubini M, Melchiorri L, et al. HLA-G genotype and HLA-G expression in systemic lupus erythematosus: HLA-G as a putative susceptibility gene in systemic lupus erythematosus. *Tissue Antigens* 2008;71(6):520-9.

Sturgeon CM, Duffy MJ, Stenman UH, Lilja H, Brunner N, Chan DW, et al. National Academy of Clinical Biochemistry laboratory medicine practice guidelines for use of tumor markers in testicular, prostate, colorectal, breast, and ovarian cancers. *Clin Chem* 2008;54(12):e11-e79.

Sturgeon CM, Hoffman BR, Chan DW, Ch'ng SL, Hammond E, Hayes DF, et al. National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines for use of tumor markers in clinical practice: quality requirements. *Clin Chem* 2008;54(8):e1-e10.

## **Klinisk Mikrobiologisk Afdeling**

### **Tidsskriftsartikler**

Arendrup MC, Fuursted K, Gahrn-Hansen B, Schonheyder HC, Knudsen JD, Jensen IM, et al. Semi-national surveillance of fungaemia in Denmark 2004-2006: increasing incidence of fungaemia and numbers of isolates with reduced azole susceptibility. *Clinical Microbiology and Infection* 2008;14(5):487-94.

Ibler K, Jensen KT, Ostergaard C, Sonksen UW, Bruun B, Schonheyder HC, et al. Six cases of *Aerococcus sanguinicola* infection: Clinical relevance and bacterial identification. *Scand J Infect Dis* 2008;40(9):761-5.

Kjerulf A, Hansen DS, Sandvang D, Hansen F, Frimodt-Moller N. The prevalence of ESBL-producing *E-coli* and *Klebsiella* strains in the Copenhagen area of Denmark. *APMIS* 2008;116(2):118-24.

Lambertsen L, Ekelund K, Hansen DS, Kaltoft M, Christensen JJ, Hammerum AM. Erythromycin resistance caused by *erm(A)* subclass *erm(TR)* in a Danish invasive pneumococcal isolate: Are *erm(A)* pneumococcal isolates overlooked? *Scand J Infect Dis* 2008;40(6-7):584-7.

Lester CH, Sandvang D, Olsen SS, Schonheyder HC, Jarlov JO, Bangsborg J, et al. Emergence of ampicillin-resistant *Enterococcus faecium* in Danish hospitals. *The Journal of antimicrobial chemotherapy* 2008;62(6):1203-6.

## **Lunge- og Infektionsmedicinsk Afdeling**

### **Tidsskriftsartikler**

Dalgard O, Bjoro K, Ring-Larsen H, Bjornsson E, Holberg-Petersen M, Skovlund E, et al. Pegylated interferon alfa and ribavirin for 14 versus 24 weeks in patients with hepatitis C virus genotype 2 or 3 and rapid virological response. *Hepatology* 2008;47(1):35-42.

Hansen N, Cowan S, Christensen PB, Weis N. Anmeldelse af kronisk hepatitis B og C i Danmark. *Ugeskr Laeger* 2008;170(18):1567-70.

Jacobsen G, Schluenssen V, Schaumburg I, Taudorf E, Sigsgaard T. Longitudinal lung function decline and wood dust exposure in the furniture industry. *Eur Respir J* 2008;31(2):334-42.

Lindhardt BO. Høreskader og rockmusik. *Ugeskr Laeger* 2008;170(51):4233-5.

Stensvold CR, Arendrup MC, Nielsen HV, Bada A, Thorsen S. Symptomatic infection with *Blastocystis* sp. subtype 8 successfully treated with trimethoprim-sulfamethoxazole. *Ann Trop Med Parasitol* 2008;102(3):271-4.

Thomsen SF, Kyvik KO, Skadhauge L, Steffensen I, Backer V. Intake of paracetamol and risk of asthma in adults. *J Asthma* 2008;45(8):675-6.

## **Bøger**

Braa AS, Thomsen S, Holm B, Steffensen I, Sandgrav I, Pedersen J, Gudskov M, Jeppesen, Kvist T. *Lungekræft - din egen handbog*. Patientforningen Lungekræft.dk; 2008. [www.lungekraeft.dk](http://www.lungekraeft.dk).

## **Ortopædkirurgisk Afdeling**

### **Disputatser og Ph.d.-afhandlinger forsvaret i året**

Ryge C. *Epidemiology Study in Major Orthopaedic surgery (ESMOS) (Ph.d-afhandling)*.28/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

### **Tidsskriftsartikler**

Aasvang EK, Hansen JB, Malmstrom J, Asmussen T, Gennevois D, Struys MMRF, et al. The effect of wound instillation of a novel purified capsaicin formulation on postherniotomy pain: A double-blind, randomized, placebo-controlled study. *Anesth Analg* 2008;107(1):282-91.

Borris LC, Breindahl M, Lassen MR, Pap AF, Misselwitz F. Differences in urinary prothrombin fragment 1+2 levels after total hip replacement in relation to venous thromboembolism and bleeding events. *Journal of Thrombosis and Haemostasis* 2008;6(10):1671-9.

Dahl OE, Borris LC, Bergqvist D, Rasmussen MS, Eriksson BI, Kakkar AK, et al. Major joint replacement. A model for antithrombotic drug development: from proof-of-concept to clinical use. *Int Angiol* 2008;27(1):60-7.

Ejam S, Lind T, Falkenberg B. Surgical treatment of acute and chronic acromioclavicular dislocation Tossy type III and V using the Hook Plate. *Acta Orthop Belg* 2008;74(4):441-5.

Eriksson BI, Dahl OE, Lassen MR, Ward DP, Rothlein R, Davis G, et al. Partial factor IXa inhibition with TTP889 for prevention of venous thromboembolism: an exploratory study. *Journal of Thrombosis and Haemostasis* 2008;6(3):457-63.

Eriksson BI, Friedman RJ, Cushner FD, Lassen MR. Potent anticoagulants are associated with a higher all-cause mortality rate after hip and knee arthroplasty. *Clin Orthop* 2008;466(8):2009-11.

Eriksson BI, Borris LC, Friedman RJ, Haas S, Huisman MV, Kakkar AK, et al. Rivaroxaban versus enoxaparin for thromboprophylaxis after hip arthroplasty. *The New England journal of medicine* 2008;358(26):2765-75.

Geerts WH, Bergqvist D, Pineo GF, Heit JA, Samama CM, Lassen MR, et al. Prevention of venous thromboembolism. *Chest* 2008;133(6):381S-453S.

Lassen MR, Ageno W, Turpie AGG. Rivaroxaban for Thromboprophylaxis Reply. *N Engl J Med* 2008;359(20):2175-6.

Lassen MR, Ageno W, Borris LC, Lieberman JR, Rosencher N, Bandel TJ, et al. Rivaroxaban versus enoxaparin for thromboprophylaxis after total knee arthroplasty. *N Engl J Med* 2008;358(26):2776-86.

Lassen MR, Dahl O, Mismetti P, Zielske D, Turpie AG. SR123781A: a new once-daily synthetic oligosaccharide anticoagulant for thromboprophylaxis after total hip replacement surgery: the DRIVE (Dose Ranging Study in Elective Total Hip Replacement Surgery) study. *J Am Coll Cardiol* 2008;51(15):1498-504.

Lassen MR, Dahl O, Mismetti P, Zielske D, Turpie AGG. SR1237S1A: A new once-daily synthetic oligosaccharide anticoagulant for thromboprophylaxis after total hip replacement surgery. *J Am Coll Cardiol* 2008;51(15):1498-504.

Lassen MR, Ageno W, Borris LC. Thromboprophylaxis with rivaroxaban or enoxaparin did not differ for major bleeding in knee arthroplasty. *Ann Intern Med* 2008;149(8)

## **Patologisk Afdeling**

### **Tidsskriftartikler**

Ewertz M, Kempel MM, Duering M, Jensen MB, Andersson M, Christiansen P, et al. Breast conserving treatment in Denmark, 1989-1998. A nationwide population-based study of the Danish Breast Cancer Co-operative Group. *Acta Oncol* 2008;47(4):682-90.

Munkholm J, Talman ML, Hasselager T. Implementation of a new rapid tissue processing method - Advantages and challenges. *Pathol Res Pract* 2008;204(12):899-904.

Rasmussen BB, Regan MM, Lykkesfeldt AE, Dell'Orto P, Del Curto B, Henriksen KL, et al. Adjuvant letrozole versus tamoxifen according to centrally-assessed ERBB2 status for postmenopausal women with endocrine-responsive early breast cancer: supplementary results from the BIG 1-98 randomised trial. *Lancet Oncology* 2008;9(1):23-8.

Rasmussen BB, Andersson M, Christensen IJ, Moller S. Evaluation of and quality assurance in HER2 analysis in breast carcinomas from patients registered in Danish Breast Cancer Group (DBCG) in the period of 2002-2006. A nationwide study including correlation between HER-2 status and other prognostic variables. *Acta Oncol* 2008;47(4):784-8.

Talman MLM, Rasmussen BB, Andersen J, Christensen IJ. Estrogen receptor analyses in the Danish Breast Cancer Cooperative Group. History, methods, prognosis and clinical implications. *Acta Oncol* 2008;47(4):789-94.

### **Rapportering specifikt til Region Hovedstaden**

Lund EL, Talman MLM. Collision Tumor of mammary and ovary cancer in an axillary lymph node. DSPAC Årsmøde 2008 (Abstract, poster) 2008;

Munkholm J. Implementation of a new rapid tissue processing method - advantages and challenges. DSPAC Årsmøde 2008 (Abstract, poster) 2008;